

SPECIFICATIONS

- Factory tested and programmed
- Fully assembled on stainless steel base/wall frame
- Rinnai DDTSTAT234 Pump Controller
- Inlet and outlet ball-valves on each pump stream
- Non-return & strainer on each pump stream
- Suitable for floor or wall-mounting
- 1.5-meter thermostat cable (10-meter cable available)
- Copper or Stainless-Steel piping
- Assembled in New Zealand

Rinnai


PRIMARY PUMP - BOILER TO TANK

RCWDPP03

Includes:

- 2 x [Grundfos UPS25-80N](#) pumps
- 25mm inlet / outlet connections
- Stainless-steel piping

1 – 2 INFINITIES



RCWDPP01

Includes:

- 2 x [Grundfos CM5-2](#) pumps
- 32mm inlet / outlet connections
- Stainless-steel or copper piping
- Thermowell

3 - 5 INFINITIES



RCWDPP02

Includes:

- 2 x [Grundfos CM10-1](#) Pumps
- 40mm inlet / outlet connections
- Stainless-steel or copper piping
- Thermowell

6 – 10 INFINITIES



Rinnai


BUILDING FLOW & RETURN

RCWDFR01

Includes:

- 2 x [Grundfos UPS20-60N](#)
- 20mm inlet / outlet connections
- Stainless-steel or copper piping

SMALL SETUPS




RCWDFR02

Includes:

- 2 x [Grundfos UPS25-80N](#)
- 25mm inlet / outlet connections
- Stainless-steel piping

MEDIUM-SIZED SETUPS



MULTI – STAGE PUMPS

- [CM5-3](#)
- [CM5-4](#)
- [MAGNA3](#)

LARGE SETUPS

