


Rinnai

ProSeries™



Pro Series

Multi Split System

The perfect multi-room solution



The Rinnai Pro Series Multi Split System is the simplest way to heat or cool up to six individual rooms with only one outdoor unit.

Traditionally, six rooms would require six indoor units and six outdoor units. This uses up precious outdoor space and creates an obtrusive appearance to your home.

Rinnai Multi Split Systems not only provide individual control of comfort levels in each room, but saves you money on running costs by either only heating or cooling individual rooms as required.

Illustrative purposes only



At Rinnai, we're all about comfort

For over 45 years, Rinnai has supplied New Zealand homes with a range of appliances that help Kiwis to enjoy comfortable, safe and efficient lives.

We've designed and manufactured products especially for New Zealand homes and New Zealand conditions – from heating your water, to heating and cooling your living areas. With over a million appliances sold over this time, Rinnai has established a proud reputation for quality and reliability, and become known as your total home living experts.

Customised Comfort

Rinnai Pro Series Multi Split Systems offer 4 different indoor unit types (Wall Mounted, Slim Ducted, Compact Cassette, Floor Console) that can be used in a multitude of combinations. After selecting up to 6 indoor unit types, these are then paired with an outdoor unit (5 units to choose from) with capacities ranging from 7.5kW up to 17.0kW. With a variety of unit types and capacities available, Rinnai has a system configuration to suit virtually any requirement.

Seamless & Sleek

The sleek Rinnai Wall Mounted units feature the latest in innovation. Equipped with features including Turbo Function to quickly cool and heat the room, they discreetly operate thanks to a cleverly designed air tunnel for greater air distribution.

Flexible & Functional


Compact & space saving in design, the Rinnai Slim Ducted and Compact Cassette indoor units are ideal for tight spaces.

Hidden away in a bulkhead or ceiling cavity, the Slim Ducted indoor unit operates quietly, so it's out of sight and out of mind.

Utilise the most of your ceiling space with the low profile Inverter Cassette, suitable for use in the larger open plan areas of the home with its 360° air flow.

Efficient & Reliable

The versatile Floor Console system provides powerful performance while blending seamlessly into your living space. With dual air outlets that provide fast heating & cooling and dehumidifying functionality, it operates at a low noise level with easy installation and maintenance for your convenience.




Wall Mounted



Ceiling Inbuilt Slim Ducted




Ceiling Mounted Compact Cassette



Floor Console

Flexible Installation

One Rinnai outdoor unit can be connected to up to 6 indoor units* which can be individually controlled. This installation option not only offers a great space saving solution, but also helps to cut down overall running costs by allowing you to decide which rooms are heated or cooled as required.



* Dependent on outdoor unit size.

Features and Benefits



Smart 3D DC Inverter

A faster, more controlled warm-up or cool-down is achieved by the advanced inverter control systems. It combines three Direct Current (DC) motor technologies working in perfect unison to provide you with:

- Higher efficiency
- Synchronised performance
- Lower running costs in comparison to conventional air conditioners



Wi-Fi Control**

Set your favourite temperature from anywhere and come home to ultimate comfort with our intuitive Android or Apple NetHome Plus App. Wi-Fi comes standard with the Wall Mounted units, Floor Console units and Slim Ducted units, and is an optional extra on Compact Cassette units.



Turbo Function†

Get up to 50% increased capacity when you start up the Heat Pump, resulting in faster warm-up or cooldown of your space.



Sleep Mode†

An intelligent sleep curve is designed in accordance with the perfect night's sleep. The curve can also be adjusted manually for your body's unique sleeping temperature.



Auto Restart

Auto restart function in case of an electrical power outage provides you with complete peace of mind.



Super Fine Filter†


Provides extra protection by keeping fine particles out of the home and providing clean, cool air.



Timer

A convenient on and off timer for the next 24 hour period – programmable from your remote. Plus you get comprehensive, programmable weekly scheduling via the NetHome Plus App.

Comfort at the touch of a button



Turn your Heat Pump on or off, set your temperature, fan speed and more remotely from anywhere in the world with an Internet connection.



Your home's internet router relays requests from the App to control your Heat Pump just like the normal remote controller.



Set your favourite temperature before you come home - enjoy the comfort and energy savings.

Available to download via:



Wi-Fi Control

The Rinnai Wall Mounted units, Floor Console units and Slim Ducted units feature in-built Wi-Fi control via the **NetHome Plus app***, with an optional Wi-Fi accessory available for the Compact Cassette units.

Simple to activate and easy to use, the App can be downloaded via Google Play or the App Store on a compatible mobile device. Once installed and registered, you can operate your appliance on the go.

Basic functions like on/off, temperature control and fan speed can be accessed through the App. Best of all, the Wi-Fi control allows you to switch on your Heat Pump from outside the home – creating the ultimate in convenience and comfort.

* NetHome Plus is a third party application

*For full terms & conditions visit www.rinnai.co.nz/warranty
**Standard feature in in Wall Mounted Split Systems, Floor Console System and Slim Ducted. Optional in Compact Cassette units.
†Available in Wall Mounted Split System only

Technical Information



Outdoor Unit

Multi Outdoor Unit			MON3H07B	MON4H09B	MON5H11B	MON5H13B	MON6H18BNZ
Number of connected Indoor Units		Qty	3	4	5	5	6
Power Supply (To Outdoor Unit)			220-240V - 1-phase - 50Hz				
Cooling	Rated Capacity	kW	7.5	9.0	11.5	13.0	17.00
	Capacity Range	kW	1.7 - 9.8	1.7 - 11.5	1.7 - 12.3	2.6 - 14.6	4.57-18.5
	Rated Input Power	kW	1.98	2.07	3.10	3.8	5
	Rated Input Current	A	8.90	10.09	15.65	16.87	22.80
	AEER	W/W	3.7	4.24	3.64	3.4	3.4
Heating	Rated Capacity	kW	7.4	9.3	12.3	13.5	19.2
	Capacity Range	kW	1.8 - 9.6	1.8 - 12.0	1.8 - 12.9	2.6 - 15.2	4.98 - 20.7
	Rated Input Power	kW	1.59	2.07	3.10	3.22	5.20
	Rated Input Current	A	7.28	10.30	14.19	14.31	24
	ACOP	W/W	4.52	4.37	3.89	4.11	3.64
Maximum Input Current		A	17.5	19.0	19.0	30.0	33.0
Compressor		Type	Inverter Twin Rotary				
Sound Power Level		dB(A)	65	68	72	72	71
Dimensions	Product (W x D x H)	mm	890 x 342 x 673	946 x 410 x 810	946 x 410 x 810	980 x 451 x 975	952 x 415 x 1333
	Packaging (W x D x H)	mm	1030 x 438 x 750	1090 x 500 x 885	1090 x 500 x 885	1145 x 500 x 1080	1095 x 495 x 1480
	Net / Gross Weight	kg	48 / 51	66 / 72	76 / 82	91 / 106.4	110.5 / 126.5
Refrigerant		Type	R32				
Refrigerant Piping	Pre-Charged Length	m	30	40	50	50	60
	Connection Size: Liquid Line	mm	3 x Φ6.35	4 x Φ6.35	5 x Φ6.35	5x6.35(5x1/4in)	6x6.35mm(6x1/4in)
	Connection Size: Gas		3x Φ9.52	3 x Φ9.52 + 1 x Φ12.7	4 x Φ9.52 + 1 x Φ12.7	3x9.52+2x12.7(3x-3/8in+2x1/2in)	4x9.52mm+2x-12.7mm(4x3/8in+2x-1/2in)
	Maximum Total System Pipe Length	m	60	80	80	80	80
	Maximum Length Per Indoor Unit		30	35	35	35	35
	Factory Pre-Charge	g	1850	2400	2950	3600	4300
	Maximum Vertical Separation Outdoor Unit ABOVE Indoor Unit		10	10	10	10	10
	Maximum Vertical Separation Outdoor Unit BELOW Indoor Unit		15	15	15	15	15
Operating Range Outdoor	Cooling	°C	-15 to 50				
	Heating	°C	-15 to 24				

Technical Information



Wall Mounted

Wall Mounted			HINRP26MB	HINRP35MB	HINRP50MB	HINRP60MB	HINRP70MB
Power Supply			220-240V - 1-phase - 50Hz				
Cooling	Rated Capacity	kW	2.6	3.5	5.0	6.0	7.15
	Rated Input Power	W	20	23	45	48	70
	Rated Input Current	A	0.09	0.1	0.2	0.21	0.32
Heating	Rated Capacity	kW	2.7	3.8	5.4	6.5	7.8
	Rated Input Power	W	20	23	45	48	70
	Rated Input Current	A	0.09	0.1	0.2	0.21	0.32
Airflow (Hi / Med / Lo)		L/s	139 / 100 / 83	147 / 106 / 86	222 / 167 / 139	222 / 167 / 139	303 / 250 / 229
Sound Pressure (Hi / Med / Lo) @1.0m		dB(A)	39 / 32.5 / 30	39 / 32.5 / 30	44.5 / 38 / 34.5	44.5 / 38 / 34.5	45 / 39 / 33.5
Dimensions	Dimension (W x D x H)	mm	802 x 200 x 295		971 x 228 x 321		1082 x 234 x 337
	Net / Gross Weight	kg	8.5 / 11.1	8.5 / 11.1	11.1 / 14.4	11.1 / 14.4	13.3 / 17.0
	Refrigeration Pipe Size: Liquid / Gas	mm	Φ6.35 / Φ9.52	Φ6.35 / Φ12.7	Φ6.35 / Φ12.7	Φ6.35 / Φ12.7	Φ9.52 + Φ15.9
Controller		Type	Wireless Remote Control Standard				
Operating Range	Cooling	°C	16 to 32				
	Heating	°C	0 to 30				
Wi-Fi Compatibility			Standard				



Slim Ducted

Slim Ducted			DINSD26MB	DINSD35MB	DINSD50MB	DINSD70MB
Power Supply			220-240V - 1-phase - 50Hz			
Cooling	Rated Capacity	kW	2.6	3.5	5.2	7.1
	Rated Input Power	W	62	64	112	188
	Rated Input Current	A	0.56	0.56	0.58	1.01
Heating	Rated Capacity	kW	2.9	3.8	5.5	7.3
	Rated Input Power	W	62	64	112	188
	Rated Input Current	A	0.56	0.56	0.58	1.01
Airflow (Hi / Med / Lo)		L/s	139 / 94 / 64	167 / 133 / 83	253 / 196 / 143	341 / 288 / 229
Maximum External Static Pressure (Hi)		Pa	60	60	100	160
Sound Pressure (Hi / Med / Lo) @1.4m		dB(A)	40 / 34 / 27	40 / 34 / 27	40 / 34 / 27	41 / 38 / 33
Dimensions	Dimension (W x D x H)	mm	700 x 506 x 200	700 x 506 x 200	880 x 674 x 210	1100 x 774 x 249
	Net / Gross Weight	kg	18 / 22	18 / 22	24 / 29.5	32.3 / 39
	Supply Air Duct Connection (W x H)	mm	537 x 152	537 x 152	706 x 136	926 x 175
	Return Air Duct Connection (W x H)	mm	599 x 186	599 x 186	782 x 190	1001 x 228
	Refrigeration Pipe Size: Liquid / Gas	mm	Φ6.35 / Φ9.52	Φ6.35 / Φ9.52	Φ6.35 / Φ9.52	Φ9.52 + Φ15.9
Condensate Drain Pump Connection		mm	OD Φ25			
Controller		Type	Wired Controller - 12m Cable			
Operating Range	Cooling	°C	17 to 32			
	Heating	°C	0 to 30			
Wi-Fi Compatibility			Standard			

Technical Information



Compact Cassette

Multi Outdoor Unit			CIN026MB	CIN035MB	CIN050MB
Fascia Panel		Model No.	CINFASM		
Power Supply (To Outdoor Unit)			220~240V - 1-phase - 50Hz		
Cooling	Rated Capacity	kW	2.6	3.5	5.2
	Rated Input Power	W	25	25	45
	Rated Input Current	A	0.25	0.38	0.45
Heating	Rated Capacity	kW	2.9	4.1	5.4
	Rated Input Power	W	25	25	45
	Rated Input Current	A	0.25	0.38	0.45
Airflow (Hi / Med / Lo)		L/s	150 / 128 / 111	164 / 142 / 117	189 / 162 / 133
Sound Pressure Level (Hi / Med / Lo) @1.4m		dB(A)	38 / 33 / 29	41 / 37 / 34	44 / 42 / 41
Dimensions	Dimension (W x D x H)	mm	570 x 570 x 260	570 x 570 x 260	570 x 570 x 260
	Fascia (W x D x H)		650 x 650 x 60	650 x 650 x 60	650 x 650 x 60
	Net / Gross Weight (Body)	kg	14.5/17.3	16.3/20.4	16.2/21.4
	Net / Gross Weight (Fascia)		2.5 / 4.5	2.5 / 4.5	2.5 / 4.5
	Refrigeration Pipe Size: Liquid / Gas	mm	Φ6.35 / Φ9.52	Φ6.35 / Φ9.52	Φ6.35 / Φ12.7
Condensate Drain Pump Connection		mm	OD Φ25		
Controller		Type	Wireless Remote Control		
Operating Range	Cooling	°C	17 to 32		
	Heating	°C	0 to 30		
Wi-Fi Compatibility			Optional with Wi-Fi Smart Port		

Combination Table

For outdoor unit: MON3H07B

Indoor Units	2.6kW	3.5 kW	5.0 kW	6.0 kW	7.0kW
Wall Mounted	HINRP26MB	HINRP35MB	HINRP50MB	HINRP60MB	HINRP70MB
Slim Ducted	DINSD26MB	DINSD35MB	DINSD50MB	DINSD70MB	
Compact Cassette	CIN026MB	CIN035MB	CIN050MB		
Floor Console	FINRP50MBNZ				

Indoor Unit Combinations				Cooling						Heating					
Unit ID				Capacity of each Indoor Unit (kW)			System Capacity (kW)			Capacity of each Indoor Unit (kW)			System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Room A	Room B	Room C	Min	Rated	Max	Room A	Room B	Room C	Min	Rated	Max
1Unit	2.6kW			3.1			2.05	3.16	4.04	3.28			2.13	3.28	4.20
	3.5kW			3.6			2.39	3.68	4.71	3.75			2.44	3.75	4.80
	5.0kW			5.0			3.00	5.00	5.90	5.00			3.06	5.10	5.90
	6.0kW			6.0			3.60	6.00	7.08	6.00			3.67	6.12	7.08
2 Units	2.6kW	2.6kW		2.6	2.6		3.12	5.20	6.14	2.60	2.60		3.18	5.30	6.14
	2.6kW	3.5kW		2.6	3.5		3.66	6.10	7.20	2.60	3.50		3.73	6.22	7.20
	2.6kW	5.0kW		2.4	4.7		4.26	7.10	8.50	2.60	5.00		4.35	7.24	8.60
	2.6kW	6.0kW		2.1	5.0		4.26	7.10	8.50	2.19	5.05		4.35	7.24	8.60
	3.5kW	3.5kW		3.5	3.5		4.20	7.00	8.26	3.50	3.50		4.28	7.14	8.26
	3.5kW	5.0kW		2.9	4.2		4.26	7.10	8.50	2.98	4.26		4.35	7.24	8.60
	3.5kW	6.0kW		2.6	4.5		4.26	7.10	8.50	2.67	4.57		4.35	7.24	8.60
	3.5kW	6.0kW		2.6	4.5		4.26	7.10	8.50	2.67	4.57		4.35	7.24	8.60
3 Units	2.6kW	2.6kW	2.6kW	2.4	2.4	2.4	4.26	7.10	8.50	2.60	2.60	2.60	4.35	7.24	8.60
	2.6kW	2.6kW	3.5kW	2.1	2.1	2.9	4.26	7.10	8.50	2.16	2.16	2.91	4.35	7.24	8.60
	2.6kW	2.6kW	5.0kW	1.8	1.8	3.5	4.26	7.10	8.50	1.85	1.85	3.55	4.35	7.24	8.60
	2.6kW	2.6kW	6.0kW	1.6	1.6	3.8	4.26	7.10	8.50	1.68	1.68	3.88	4.35	7.24	8.60
	2.6kW	3.5kW	3.5kW	1.9	2.6	2.6	4.26	7.10	8.50	1.96	2.64	2.64	4.35	7.24	8.60
	2.6kW	3.5kW	5.0kW	1.7	2.2	3.2	4.26	7.10	8.50	1.70	2.28	3.26	4.35	7.24	8.60
	2.6kW	3.5kW	6.0kW	1.5	2.1	3.5	4.26	7.10	8.50	1.56	2.09	3.59	4.35	7.24	8.60
	3.5kW	3.5kW	3.5kW	2.4	2.4	2.4	4.26	7.10	8.50	2.41	2.41	2.41	4.35	7.24	8.60
	3.5kW	3.5kW	5.0kW	2.1	2.1	3.0	4.26	7.10	8.50	2.11	2.11	3.02	4.35	7.24	8.60
	3.5kW	3.5kW	6.0kW	1.9	1.9	3.3	4.26	7.10	8.50	1.95	1.95	3.34	4.35	7.24	8.60

Capacities tested in accordance with AS/NZS 3823.3, with 5m interconnecting length for all attached Indoor Units. With our policy of continuous improvement, we reserve the right to change, or discontinue at any time, specifications or designs without notice.

Capacities tested in accordance with AS/NZS 3823.3, with 5m interconnecting length for all attached Indoor Units. With our policy of continuous improvement, we reserve the right to change, or discontinue at any time, specifications or designs without notice.
Note: All images contained within this brochure are for illustrative purposes only, the colours and finishes of the products featured are as close to the respective product range as photographic lighting and printing processes allow.



Floor Console

Floor Split System			FINRP50MBNZ		
Power Supply			220~240V - 1-phase - 50Hz		
Cooling	Rated Capacity	kW	4.7		
	Rated Input Power	W	90		
	Rated Input Current	A	0.82		
Heating	Rated Capacity	kW	5.2		
	Rated Input Power	W	90		
	Rated Input Current	A	0.82		
Airflow (Hi / Low)		L/s	241 / 166		
Sound Pressure (Hi / Lo) @ 1.0m		dB(A)	42 / 29		
Dimensions	Dimension (W x D x H)	mm	794 x 200 x 621		
	Net / Gross Weight	kg	14.9 / 18.8		
	Refrigeration Pipe Size: Liquid / Gas	mm	6.35 / 12.7		
Controller		Type	Wireless Remote Control Standard		
Operating Range	Cooling	°C	0 to 50		
	Heating	°C	-15 to 24		
Wi-Fi Compatibility			Standard		

Capacities tested in accordance with AS/NZS 3823.3, with 5m interconnecting length for all attached Indoor Units. With our policy of continuous improvement, we reserve the right to change, or discontinue at any time, specifications or designs without notice.

Combination Table

For outdoor unit: MON4H09B

Indoor Units	2.6kW	3.5kW	5.0kW	6.0kW	7.0kW
Wall Mounted	HINRP26MB	HINRP35MB	HINRP50MB	HINRP60MB	HINRP70MB
Slim Ducted	DINSD26MB	DINSD35MB	DINSD50MB	DINSD70MB	
Compact Cassette	CIN026MB	CIN035MB	CIN050MB		
Floor Console	FINRP50MBNZ				

Indoor Unit Combinations					Cooling						Heating							
Unit ID					Capacity of each Indoor Unit (kW)			System Capacity (kW)			Capacity of each Indoor Unit (kW)				System Capacity (kW)			
Operation	Unit A	Unit B	Unit C	Unit D	Room A	Room B	Room C	Room D	Min	Rated	Max	Room A	Room B	Room C	Room D	Min	Rated	Max
1 Unit	5.0kW				5.0				3.00	5.00	5.60	5.00				3.1	5.15	5.75
	6.0kW				6.0				3.6	6.00	6.72	6.00				3.7	6.18	6.90
	7.0kW				7.0				4.2	7.00	7.84	7.00				4.3	7.21	8.05
2 Units	2.6kW	2.6kW			2.6	2.6			3.12	5.20	5.82	2.60	2.60			3.2	5.36	5.98
	2.6kW	3.5kW			2.6	3.5			3.66	6.10	6.83	2.60	3.50			3.8	6.28	7.02
	2.6kW	5.0kW			2.6	5.0			4.56	7.60	8.51	2.60	5.00			4.7	7.83	8.74
	2.6kW	6.0kW			2.5	5.7			4.92	8.20	9.20	2.55	5.89			5.1	8.45	9.50
	2.6kW	7.0kW			2.2	6.0			4.92	8.20	9.20	2.29	6.16			5.1	8.45	9.50
	3.5kW	3.5kW			3.5	3.5			4.2	7.00	7.84	3.50	3.50			4.3	7.21	8.05
	3.5kW	5.0kW			3.4	4.8			4.92	8.20	9.20	3.48	4.97			5.1	8.45	9.50
	3.5kW	6.0kW			3.0	5.2			4.92	8.20	9.20	3.11	5.33			5.1	8.45	9.50
	3.5kW	7.0kW			2.7	5.5			4.92	8.20	9.20	2.82	5.63			5.1	8.45	9.50
	2.6kW	2.6kW	2.6kW		2.6	2.6	2.6		4.68	7.80	8.74	2.60	2.60	2.60		4.8	8.03	8.97
	2.6kW	2.6kW	3.5kW		2.5	2.5	3.3		4.92	8.20	9.20	2.52	2.52	3.40		5.1	8.45	9.50
3 Units	2.6kW	2.6kW	5.0kW		2.1	2.1	4.0		4.92	8.20	9.20	2.15	2.15	4.14		5.1	8.45	9.50
	2.6kW	2.6kW	6.0kW		1.9	1.9	4.4		4.92	8.20	9.20	1.96	1.96	4.52		5.1	8.45	9.50
	2.6kW	3.5kW	3.5kW		2.2	3.0	3.0		4.92	8.20	9.20	2.29	3.08	3.08		5.1	8.45	9.50
	2.6kW	3.5kW	5.0kW		1.9	2.6	3.7		4.92	8.20	9.20	1.98	2.66	3.80		5.1	8.45	9.50
	2.6kW	3.5kW	6.0kW		1.8	2.4	4.1		4.92	8.20	9.20	1.81	2.44	4.19		5.1	8.45	9.50
	3.5kW	3.5kW	3.5kW		2.7	2.7	2.7		4.92	8.20	9.20	2.82	2.82	2.82		5.1	8.45	9.50
	3.5kW	3.5kW	5.0kW		2.4	2.4	3.4		4.92	8.20	9.20	2.46	2.46	3.52		5.1	8.45	9.50
	2.6kW	2.6kW	2.6kW	2.6kW	2.1	2.1	2.1	2.1	4.92	8.20	9.20	2.11	2.11	2.11	2.11	5.1	8.45	9.50
4 Units	2.6kW	2.6kW	2.6kW	3.5kW	1.9	1.9	1.9	2.5	4.92	8.20	9.20	1.94	1.94	1.94	2.62	5.1	8.45	9.50

Combination Table

For outdoor unit: MON5H11B

Indoor Units	2.6kW	3.5kW	5.0kW	6.0 kW	7.0kW
Wall Mounted	HINRP26MB	HINRP35MB	HINRP50MB	HINRP60MB	HINRP70MB
Slim Ducted	DINSD26MB	DINSD35MB	DINSD50MB	DINSD70MB	
Compact Cassette	CIN026MB	CIN035MB	CIN050MB		
Floor Console	FINRP50MBNZ				

Indoor Unit Combinations						Cooling								Heating							
	Unit ID					Capacity of each Indoor Unit (kW)					System Capacity (kW)			Capacity of each Indoor Unit (kW)					System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Room A	Room B	Room C	Room D	Room E	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Min	Rated	Max
1 Unit	7.0kW					7.0					4.20	7.00	7.56	7.00					4.28	7.00	7.84
2 Units	2.6kW	2.6kW				2.6	2.6				3.12	5.20	5.62	2.60	2.60				3.12	5.20	5.82
	2.6kW	3.5kW				2.6	3.5				3.66	6.10	6.59	2.60	3.50				3.66	6.10	6.83
	2.6kW	5.0kW				2.6	5.0				4.56	7.60	8.21	2.60	5.00				4.56	7.60	8.51
	2.6kW	6.0kW				2.6	6.0				5.16	8.60	9.29	2.60	6.00				5.16	8.60	9.63
	2.6kW	7.0kW				2.6	7.0				5.76	9.60	10.37	2.60	7.00				5.76	9.60	10.75
	3.5kW	3.5kW				3.5	3.5				4.20	7.00	7.56	3.50	3.50				4.20	7.00	7.84
	3.5kW	5.0kW				3.5	5.0				5.10	8.50	9.18	3.50	5.00				5.10	8.50	9.52
	3.5kW	6.0kW				3.5	6.0				5.70	9.50	10.26	3.50	6.00				5.70	9.50	10.64
	3.5kW	7.0kW				3.5	7.0				6.30	10.50	11.34	3.50	7.00				6.30	10.50	11.76
5.0kW	5.0kW				5.0	5.0				6.00	10.00	10.80	5.00	5.00				6.00	10.00	11.20	
3 Units	2.6kW	2.6kW	2.6kW			2.6	2.6	2.6			4.68	7.80	8.42	2.60	2.60	2.60			4.68	7.80	8.74
	2.6kW	2.6kW	3.5kW			2.6	2.6	3.5			5.22	8.70	9.40	2.60	2.60	3.50			5.22	8.70	9.74
	2.6kW	2.6kW	5.0kW			2.6	2.6	5.0			6.12	10.20	11.02	2.60	2.60	5.00			6.12	10.20	11.42
	2.6kW	2.6kW	6.0kW			2.4	2.4	5.6			6.30	10.50	11.70	2.44	2.44	5.63			6.30	10.50	12.00
	2.6kW	2.6kW	7.0kW			2.2	2.2	6.0			6.30	10.50	11.70	2.24	2.24	6.02			6.30	10.50	12.00
	2.6kW	3.5kW	3.5kW			2.6	3.5	3.5			5.76	9.60	10.37	2.60	3.50	3.50			5.76	9.60	10.75
	2.6kW	3.5kW	5.0kW			2.5	3.3	4.7			6.30	10.50	11.70	2.46	3.31	4.73			6.30	10.50	12.00
	2.6kW	3.5kW	6.0kW			2.3	3.0	5.2			6.30	10.50	11.70	2.26	3.04	5.21			6.30	10.50	12.00
	2.6kW	3.5kW	7.0kW			2.1	2.8	5.6			6.30	10.50	11.70	2.08	2.81	5.61			6.30	10.50	12.00
	3.5kW	3.5kW	3.5kW			3.5	3.5	3.5			6.30	10.50	11.34	3.50	3.50	3.50			6.30	10.50	11.76
	3.5kW	3.5kW	5.0kW			3.1	3.1	4.4			6.30	10.50	11.70	3.06	3.06	4.38			6.30	10.50	12.00
	3.5kW	3.5kW	6.0kW			2.8	2.8	4.8			6.30	10.50	11.70	2.83	2.83	4.85			6.30	10.50	12.00
	3.5kW	3.5kW	7.0kW			2.6	2.6	5.3			6.30	10.50	11.70	2.63	2.63	5.25			6.30	10.50	12.00
4 Units	2.6kW	2.6kW	2.6kW	2.6kW		2.6	2.6	2.6	2.6		6.24	10.40	11.23	2.60	2.60	2.60	2.60		6.24	10.40	11.65
	2.6kW	2.6kW	2.6kW	3.5kW		2.4	2.4	2.4	3.3		6.30	10.50	11.70	2.42	2.42	2.42	3.25		6.30	10.50	12.00
	2.6kW	2.6kW	2.6kW	5.0kW		2.1	2.1	2.1	4.1		6.30	10.50	11.70	2.13	2.13	2.13	4.10		6.30	10.50	12.00
	2.6kW	2.6kW	2.6kW	6.0kW		2.0	2.0	2.0	4.6		6.30	10.50	11.70	1.98	1.98	1.98	4.57		6.30	10.50	12.00
	2.6kW	2.6kW	2.6kW	7.0kW		1.8	1.8	1.8	5.0		6.30	10.50	11.70	1.84	1.84	1.84	4.97		6.30	10.50	12.00
	2.6kW	2.6kW	3.5kW	3.5kW		2.2	2.2	3.0	3.0		6.30	10.50	11.70	2.24	2.24	3.01	3.01		6.30	10.50	12.00
	2.6kW	2.6kW	3.5kW	5.0kW		2.0	2.0	2.7	3.8		6.30	10.50	11.70	1.99	1.99	2.68	3.83		6.30	10.50	12.00
	2.6kW	2.6kW	3.5kW	6.0kW		1.9	1.9	2.5	4.3		6.30	10.50	11.70	1.86	1.86	2.50	4.29		6.30	10.50	12.00
	2.6kW	2.6kW	3.5kW	7.0kW		1.7	1.7	2.3	4.7		6.30	10.50	11.70	1.74	1.74	2.34	4.68		6.30	10.50	12.00
	2.6kW	3.5kW	3.5kW	3.5kW		2.1	2.8	2.8	2.8		6.30	10.50	11.70	2.08	2.81	2.81	2.81		6.30	10.50	12.00
	2.6kW	3.5kW	3.5kW	5.0kW		1.9	2.5	2.5	3.6		6.30	10.50	11.70	1.87	2.52	2.52	3.60		6.30	10.50	12.00
	2.6kW	3.5kW	3.5kW	6.0kW		1.8	2.4	2.4	4.0		6.30	10.50	11.70	1.75	2.36	2.36	4.04		6.30	10.50	12.00
	3.5kW	3.5kW	3.5kW	3.5kW		2.6	2.6	2.6	2.6		6.30	10.50	11.70	2.63	2.63	2.63	2.63		6.30	10.50	12.00
	3.5kW	3.5kW	3.5kW	5.0kW		2.4	2.4	2.4	3.4		6.30	10.50	11.70	2.37	2.37	2.37	3.39		6.30	10.50	12.00
	3.5kW	3.5kW	3.5kW	6.0kW		2.2	2.2	2.2	3.8		6.30	10.50	11.70	2.23	2.23	2.23	3.82		6.30	10.50	12.00
5 Units	2.6kW	2.6kW	2.6kW	2.6kW	2.6kW	2.1	2.1	2.1	2.1	2.1	6.30	10.50	11.70	2.10	2.10	2.10	2.10	2.10	6.30	10.50	12.00
	2.6kW	2.6kW	2.6kW	2.6kW	3.5kW	2.0	2.0	2.0	2.0	2.6	6.30	10.50	11.70	1.96	1.96	1.96	1.96	2.64	6.30	10.50	12.00
	2.6kW	2.6kW	2.6kW	2.6kW	5.0kW	1.8	1.8	1.8	1.8	3.4	6.30	10.50	11.70	1.77	1.77	1.77	1.77	3.41	6.30	10.50	12.00
	2.6kW	2.6kW	2.6kW	2.6kW	6.0kW	1.7	1.7	1.7	1.7	3.8	6.30	10.50	11.70	1.66	1.66	1.66	1.66	3.84	6.30	10.50	12.00
	2.6kW	2.6kW	2.6kW	3.5kW	3.5kW	1.8	1.8	1.8	2.5	2.5	6.30	10.50	11.70	1.84	1.84	1.84	2.48	2.48	6.30	10.50	12.00
	2.6kW	2.6kW	2.6kW	3.5kW	5.0kW	1.7	1.7	1.7	2.3	3.2	6.30	10.50	11.70	1.67	1.67	1.67	2.25	3.22	6.30	10.50	12.00
	2.6kW	2.6kW	3.5kW	3.5kW	3.5kW	1.7	1.7	2.3	2.3	2.3	6.30	10.50	11.70	1.74	1.74	2.34	2.34	2.34	6.30	10.50	12.00
	2.6kW	2.6kW	3.5kW	3.5kW	5.0kW	1.6	1.6	2.1	2.1	3.1	6.30	10.50	11.70	1.59	1.59	2.14	2.14	3.05	6.30	10.50	12.00
	2.6kW	3.5kW	3.5kW	3.5kW	3.5kW	1.6	2.2	2.2	2.2	2.2	6.30	10.50	11.70	1.64	2.21	2.21	2.21	2.21	6.30	10.50	12.00
2.6kW	3.5kW	3.5kW	3.5kW	5.0kW	1.5	2.0	2.0	2.0	2.9	6.30	10.50	11.70	1.51	2.03	2.03	2.03	2.90	6.30	10.50	12.00	
3.5kW	3.5kW	3.5kW	3.5kW	3.5kW	2.1	2.1	2.1	2.1	2.1	6.30	10.50	11.70	2.10	2.10	2.10	2.10	2.10	6.30	10.50	12.00	

Combination Table

For outdoor unit: MON5H13B

Indoor Units	2.6kW	3.5 kW	5.0 kW	6.0 kW	7.0kW
Wall Mounted	HINRP26MB	HINRP35MB	HINRP50MB	HINRP60MB	HINRP70MB
Slim Ducted	DINSD26MB	DINSD35MB	DINSD50MB	DINSD70MB	
Compact Cassette	CIN026MB	CIN035MB	CIN050MB		
Floor Console	FINRP50MBNZ				

Indoor Unit Combinations						Cooling							Heating								
Unit ID						Capacity of each Indoor Unit (kW)				System Capacity (kW)			Capacity of each Indoor Unit (kW)					System Capacity (kW)			
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Room A	Room B	Room C	Room D	Room E	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Min	Rated	Max
1Unit	7.0kW					7.0					4.20	7.00	7.35	7.00					4.20	7.00	7.70
2Units	2.6kW	2.6kW				2.6	2.6				3.12	5.20	5.46	2.60	2.60				3.12	5.20	5.72
	2.6kW	3.5kW				2.6	3.5				3.66	6.10	6.41	2.60	3.50				3.66	6.10	6.71
	2.6kW	5.0kW				2.6	5.0				4.56	7.60	7.98	2.60	5.00				4.56	7.60	8.36
	2.6kW	6.0kW				2.6	6.0				5.16	8.60	9.03	2.60	6.00				5.16	8.60	9.46
	2.6kW	7.0kW				2.6	7.0				5.76	9.60	10.08	2.60	7.00				5.76	9.60	10.56
	3.5kW	3.5kW				3.5	3.5				4.20	7.00	7.35	3.50	3.50				4.20	7.00	7.70
	3.5kW	5.0kW				3.5	5.0				5.10	8.50	8.93	3.50	5.00				5.10	8.50	9.35
	3.5kW	6.0kW				3.5	6.0				5.70	9.50	9.98	3.50	6.00				5.70	9.50	10.45
	3.5kW	7.0kW				3.5	7.0				6.30	10.50	11.03	3.50	7.00				6.30	10.50	11.55
	5.0kW	5.0kW				5.0	5.0				6.00	10.00	10.50	5.00	5.00				6.00	10.00	11.00
	5.0kW	6.0kW				5.0	6.0				6.60	11.00	11.55	5.00	6.00				6.60	11.00	12.10
	5.0kW	7.0kW				5.0	7.0				7.20	12.00	12.60	5.00	7.00				7.20	12.00	13.20
3Units	6.0kW	6.0kW				6.0	6.0				7.20	12.00	12.60	6.00	6.00				7.20	12.00	13.20
	6.0kW	7.0kW				6.0	7.0				7.80	13.00	13.65	6.00	7.00				7.80	13.00	14.30
	2.6kW	2.6kW	2.6kW			2.6	2.6	2.6			4.68	7.80	8.19	2.60	2.60	2.60			4.68	7.80	8.58
	2.6kW	2.6kW	3.5kW			2.6	2.6	3.5			5.22	8.70	9.14	2.60	2.60	3.50			5.22	8.70	9.57
	2.6kW	2.6kW	5.0kW			2.6	2.6	5.0			6.12	10.20	10.71	2.60	2.60	5.00			6.12	10.20	11.22
	2.6kW	2.6kW	6.0kW			2.6	2.6	6.0			6.72	11.20	11.76	2.60	2.60	6.00			6.72	11.20	12.32
	2.6kW	2.6kW	7.0kW			2.6	2.6	7.0			7.32	12.20	12.81	2.60	2.60	7.00			7.32	12.20	13.42
	2.6kW	3.5kW	3.5kW			2.6	3.5	3.5			5.76	9.60	10.08	2.60	3.50	3.50			5.76	9.60	10.56
	2.6kW	3.5kW	5.0kW			2.6	3.5	5.0			6.66	11.10	11.66	2.60	3.50	5.00			6.66	11.10	12.21
	2.6kW	3.5kW	6.0kW			2.6	3.5	6.0			7.26	12.10	12.71	2.60	3.50	6.00			7.26	12.10	13.31
	2.6kW	3.5kW	7.0kW			2.6	3.5	7.0			7.86	13.10	13.76	2.60	3.50	7.00			7.86	13.10	14.41
	2.6kW	5.0kW	5.0kW			2.6	5.0	5.0			7.56	12.60	13.23	2.60	5.00	5.00			7.56	12.60	13.86
4Units	2.6kW	5.0kW	6.0kW			2.6	5.0	6.0			8.10	13.50	14.28	2.58	4.96	5.96			8.10	13.50	14.96
	2.6kW	6.0kW	6.0kW			2.4	5.5	5.5			8.10	13.50	14.58	2.40	5.55	5.55			8.10	13.50	15.20
	3.5kW	3.5kW	3.5kW			3.5	3.5	3.5			6.30	10.50	11.03	3.50	3.50	3.50			6.30	10.50	11.55
	3.5kW	3.5kW	5.0kW			3.5	3.5	5.0			7.20	12.00	12.60	3.50	3.50	5.00			7.20	12.00	13.20
	3.5kW	3.5kW	6.0kW			3.5	3.5	6.0			7.80	13.00	13.65	3.50	3.50	6.00			7.80	13.00	14.30
	3.5kW	3.5kW	7.0kW			3.4	3.4	6.8			8.10	13.50	14.58	3.38	3.38	6.75			8.10	13.50	15.20
	3.5kW	5.0kW	5.0kW			3.5	5.0	5.0			8.10	13.50	14.18	3.50	5.00	5.00			8.10	13.50	14.85
	3.5kW	5.0kW	6.0kW			3.3	4.7	5.6			8.10	13.50	14.58	3.26	4.66	5.59			8.10	13.50	15.20
	3.5kW	6.0kW	6.0kW			3.0	5.2	5.2			8.10	13.50	14.58	3.05	5.23	5.23			8.10	13.50	15.20
	2.6kW	2.6kW	2.6kW	2.6kW		2.6	2.6	2.6	2.6		6.24	10.40	10.92	2.60	2.60	2.60	2.60		6.24	10.40	11.44
	2.6kW	2.6kW	2.6kW	3.5kW		2.6	2.6	2.6	3.5		6.78	11.30	11.87	2.60	2.60	2.60	3.50		6.78	11.30	12.43
	2.6kW	2.6kW	2.6kW	5.0kW		2.6	2.6	2.6	5.0		7.68	12.80	13.44	2.60	2.60	2.60	5.00		7.68	12.80	14.08
5Units	2.6kW	2.6kW	2.6kW	6.0kW		2.5	2.5	2.5	5.9		8.10	13.50	14.49	2.54	2.54	2.54	5.87		8.10	13.50	15.18
	2.6kW	2.6kW	2.6kW	7.0kW		2.4	2.4	2.4	6.4		8.10	13.50	14.58	2.37	2.37	2.37	6.39		8.10	13.50	15.20
	2.6kW	2.6kW	3.5kW	3.5kW		2.6	2.6	3.5	3.5		7.32	12.20	12.81	2.60	2.60	3.50	3.50		7.32	12.20	13.42
	2.6kW	2.6kW	3.5kW	5.0kW		2.6	2.6	3.4	4.9		8.10	13.50	14.39	2.56	2.56	3.45	4.93		8.10	13.50	15.07
	2.6kW	2.6kW	3.5kW	6.0kW		2.4	2.4	3.2	5.5		8.10	13.50	14.58	2.39	2.39	3.21	5.51		8.10	13.50	15.20
	2.6kW	2.6kW	3.5kW	7.0kW		2.2	2.2	3.0	6.0		8.10	13.50	14.58	2.24	2.24	3.01	6.02		8.10	13.50	15.20
	2.6kW	2.6kW	5.0kW	5.0kW		2.3	2.3	4.4	4.4		8.10	13.50	14.58	2.31	2.31	4.44	4.44		8.10	13.50	15.20
	2.6kW	2.6kW	5.0kW	6.0kW		2.2	2.2	4.2	5.0		8.10	13.50	14.58	2.17	2.17	4.17	5.00		8.10	13.50	15.20
	2.6kW	3.5kW	3.5kW	3.5kW		2.6	3.5	3.5	3.5		7.86	13.10	13.76	2.60	3.50	3.50	3.50		7.86	13.10	14.41
	2.6kW	3.5kW	3.5kW	5.0kW		2.4	3.2	3.2	4.6		8.10	13.50	14.58	2.40	3.24	3.24	4.62		8.10	13.50	15.20
	2.6kW	3.5kW	3.5kW	6.0kW		2.3	3.0	3.0	5.2		8.10	13.50	14.58	2.25	3.03	3.03	5.19		8.10	13.50	15.20
	2.6kW	3.5kW	3.5kW	7.0kW		2.1	2.8	2.8	5.7		8.10	13.50	14.58	2.11	2.85	2.85	5.69		8.10	13.50	15.20
6Units	3.5kW	3.5kW	3.5kW	3.5kW		3.4	3.4	3.4	3.4		8.10	13.50	14.58	3.38	3.38	3.38	3.38		8.10	13.50	15.20
	3.5kW	3.5kW	3.5kW	5.0kW		3.0	3.0	3.0	4.4		8.10	13.50	14.58	3.05	3.05	3.05	4.35		8.10	13.50	15.20
	3.5kW	3.5kW	3.5kW	6.0kW		2.9	2.9	2.9	4.9		8.10	13.50	14.58	2.86	2.86	2.86	4.91		8.10	13.50	15.20
	3.5kW	3.5kW	3.5kW	7.0kW		2.7	2.7	2.7	5.4		8.10	13.50	14.58	2.70	2.70	2.70	5.40		8.10	13.50	15.20

	Indoor Unit Combinations					Cooling								Heating							
	Unit ID					Capacity of each Indoor Unit (kW)					System Capacity (kW)			Capacity of each Indoor Unit (kW)					System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Room A	Room B	Room C	Room D	Room E	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Min	Rated	Max
5 Units	2.6kW	2.6kW	2.6kW	2.6kW	5.0kW	2.3	2.3	2.3	2.3	4.4	8.10	13.50	14.58	2.28	2.28	2.28	2.28	4.38	8.10	13.50	15.20
	2.6kW	2.6kW	2.6kW	2.6kW	7.0kW	2.0	2.0	2.0	2.0	5.4	8.10	13.50	14.58	2.02	2.02	2.02	2.02	5.43	8.10	13.50	15.20
	2.6kW	2.6kW	2.6kW	3.5kW	3.5kW	2.4	2.4	2.4	3.2	3.2	8.10	13.50	14.58	2.37	2.37	2.37	3.19	3.19	8.10	13.50	15.20
	2.6kW	2.6kW	2.6kW	3.5kW	5.0kW	2.2	2.2	2.2	2.9	4.1	8.10	13.50	14.58	2.15	2.15	2.15	2.90	4.14	8.10	13.50	15.20
	2.6kW	2.6kW	2.6kW	2.6kW	2.6kW	2.6	2.6	2.6	2.6	2.6	7.80	13.00	13.65	2.60	2.60	2.60	2.60	2.60	7.80	13.00	14.30
	2.6kW	2.6kW	2.6kW	2.6kW	3.5kW	2.5	2.5	2.5	2.5	3.4	8.10	13.50	14.58	2.53	2.53	2.53	2.53	3.40	8.10	13.50	15.20
	2.6kW	2.6kW	2.6kW	3.5kW	7.0kW	1.9	1.9	1.9	2.6	5.2	8.10	13.50	14.58	1.92	1.92	1.92	2.58	5.16	8.10	13.50	15.20
	2.6kW	2.6kW	2.6kW	5.0kW	5.0kW	2.0	2.0	2.0	3.8	3.8	8.10	13.50	14.58	1.97	1.97	1.97	3.79	3.79	8.10	13.50	15.20
	2.6kW	2.6kW	3.5kW	3.5kW	3.5kW	2.2	2.2	3.0	3.0	3.0	8.10	13.50	14.58	2.24	2.24	3.01	3.01	3.01	8.10	13.50	15.20
	2.6kW	2.6kW	3.5kW	3.5kW	5.0kW	2.0	2.0	2.7	2.7	3.9	8.10	13.50	14.58	2.04	2.04	2.75	2.75	3.92	8.10	13.50	15.20
	2.6kW	3.5kW	3.5kW	3.5kW	3.5kW	2.1	2.8	2.8	2.8	2.8	8.10	13.50	14.58	2.11	2.85	2.85	2.85	2.85	8.10	13.50	15.20
	2.6kW	3.5kW	3.5kW	3.5kW	5.0kW	1.9	2.6	2.6	2.6	3.7	8.10	13.50	14.58	1.94	2.61	2.61	2.61	3.73	8.10	13.50	15.20
3.5kW	3.5kW	3.5kW	3.5kW	3.5kW	2.7	2.7	2.7	2.7	2.7	8.10	13.50	14.58	2.70	2.70	2.70	2.70	2.70	8.10	13.50	15.20	

Combination Table

For outdoor unit: MON6H18BNZ

Indoor Units	2.6kW	3.5 kW	5.0 kW	6.0 kW	7.0kW
Wall Mounted	HINRP26MB	HINRP35MB	HINRP50MB	HINRP60MB	HINRP70MB
Slim Ducted	DINSD26MB	DINSD35MB	DINSD50MB	DINSD70MB	
Compact Cassette	CIN026MB	CIN035MB	CIN050MB		
Floor Console	FINRP50MBNZ				

Indoor Unit Combinations						Cooling								Heating										
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Room F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Room F	Min	Rated	Max
2 Units	2.6kW	5.0kW					2.6	5.0					4.74	7.60	8.30	2.7	5.6					4.98	8.30	8.96
	2.6kW	6.0kW					2.6	6.0					5.16	8.60	10.32	3.0	6.9					5.93	9.89	11.87
	2.6kW	7.0kW					2.6	7.0					5.82	9.60	10.19	2.7	7.5					6.11	10.19	11.00
	3.5kW	3.5kW					3.5	3.5					4.20	7.00	7.35	3.7	3.7					4.41	7.35	7.94
	3.5kW	5.0kW					3.5	5.0					5.28	8.50	9.24	3.7	5.6					5.54	9.24	9.98
	3.5kW	6.0kW					3.5	6.0					5.70	9.50	11.40	4.03	6.90					6.56	10.93	13.11
	3.5kW	7.0kW					3.5	7.0					6.36	10.50	11.13	3.7	7.5					6.68	11.13	12.02
	5.0kW	5.0kW					5.0	5.0					6.36	10.00	11.13	5.6	5.6					6.68	11.13	12.02
	5.0kW	6.0kW					5.0	6.0					6.60	11.00	13.20	5.75	6.90					7.59	12.65	15.18
	5.0kW	7.0kW					5.0	7.0					7.44	12.00	13.02	5.6	7.5					7.81	13.02	14.06
	6.0kW	6.0kW					5.0	5.0					6.36	10.00	11.13	5.6	5.6					6.68	11.13	12.02
	6.0kW	7.0kW					6.0	7.0					7.80	13.00	15.60	6.90	8.05					8.97	14.95	17.94
3 Units	2.6kW	2.6kW	2.6kW				2.6	2.6	2.6				4.68	7.80	8.19	2.9	2.9	2.9				5.15	8.58	9.44
	2.6kW	2.6kW	3.5kW				2.6	2.6	3.5				5.22	8.70	9.14	2.9	2.9	3.9				5.74	9.57	10.53
	2.6kW	2.6kW	5.0kW				2.6	2.6	5.0				6.30	10.20	11.03	2.9	2.9	5.8				6.93	11.55	12.71
	2.6kW	2.6kW	6.0kW				2.6	2.6	6.0				6.72	11.20	13.44	2.99	2.99	6.90				7.73	12.88	15.46
	2.6kW	2.6kW	7.0kW				2.6	2.6	7.0				7.38	12.20	12.92	2.9	2.9	7.8				8.12	13.53	14.88
	2.6kW	3.5kW	3.5kW				2.6	3.5	3.5				5.76	9.60	10.08	2.9	3.9	3.9				6.34	10.56	11.62
	2.6kW	3.5kW	5.0kW				2.6	3.5	5.0				6.84	11.10	11.97	2.9	3.9	5.8				7.52	12.54	13.79
	2.6kW	3.5kW	6.0kW				2.6	3.5	6.0				7.26	12.10	14.52	2.99	4.03	6.90				8.35	13.92	16.70
	2.6kW	3.5kW	7.0kW				2.6	3.5	7.0				7.92	13.10	13.86	2.9	3.9	7.8				8.71	14.52	15.97
	2.6kW	5.0kW	5.0kW				2.6	5.0	5.0				7.92	12.60	13.86	2.9	5.8	5.8				8.71	14.52	15.97
	2.6kW	5.0kW	6.0kW				2.6	5.0	6.0				8.16	13.60	16.32	2.99	5.75	6.90				9.38	15.64	18.77
	2.6kW	5.0kW	7.0kW				2.6	5.0	7.0				9.00	14.60	15.75	2.9	5.8	7.8				9.90	16.50	18.15
	2.6kW	6.0kW	6.0kW				2.6	6.0	6.0				8.76	14.60	17.52	2.99	6.90	6.90				10.07	16.79	20.15
	2.6kW	6.0kW	7.0kW				2.6	6.0	7.0				9.36	15.60	18.40	2.99	6.90	8.05				10.76	17.94	20.50
	3.5kW	3.5kW	3.5kW				3.5	3.5	3.5				6.30	10.50	11.03	3.9	3.9	3.9				6.93	11.55	12.71
	3.5kW	3.5kW	5.0kW				3.5	3.5	5.0				7.38	12.00	12.92	3.9	3.9	5.8				8.12	13.53	14.88
	3.5kW	3.5kW	6.0kW				3.5	3.5	6.0				7.80	13.00	15.60	4.03	4.03	6.90				8.97	14.95	17.94
	3.5kW	3.5kW	7.0kW				3.5	3.5	7.0				8.46	14.00	14.81	3.9	3.9	7.8				9.31	15.51	17.06
	3.5kW	5.0kW	5.0kW				3.5	5.0	5.0				8.46	13.50	14.81	3.9	5.8	5.8				9.31	15.51	17.06
	3.5kW	5.0kW	6.0kW				3.5	5.0	6.0				8.70	14.50	17.40	4.03	5.75	6.90				10.01	16.68	20.01
	3.5kW	5.0kW	7.0kW				3.5	5.0	7.0				9.54	15.50	16.70	3.9	5.8	7.8				10.49	17.49	19.24
	3.5kW	6.0kW	6.0kW				3.5	6.0	6.0				9.30	15.50	18.40	4.03	6.90	6.90				10.70	17.83	20.50
	3.5kW	6.0kW	7.0kW				3.5	6.0	7.0				9.90	16.50	18.40	4.03	6.90	8.05				11.39	18.98	20.50
	5.0kW	5.0kW	5.0kW				5.0	5.0	5.0				9.54	15.00	16.70	5.8	5.8	5.8				10.49	17.49	19.24
	5.0kW	5.0kW	6.0kW				5.0	5.0	6.0				9.60	16.00	18.40	5.75	5.75	6.90				11.04	18.40	20.50
	5.0kW	5.0kW	7.0kW				5.1	5.1	6.8				10.20	17.00	17.85	5.8	5.8	7.8				11.68	19.47	20.50
	5.0kW	6.0kW	6.0kW				5.0	6.0	6.0				10.20	17.00	18.40	5.75	6.90	6.90				11.73	19.55	20.50
	5.0kW	6.0kW	7.0kW				4.7	5.7	6.6				10.20	17.00	18.40	5.44	6.53	7.62				11.76	19.60	20.50
	6.0kW	6.0kW	6.0kW				5.7	5.7	5.7				10.20	17.00	18.40	6.53	6.53	6.53				11.76	19.60	20.50
	6.0kW	6.0kW	7.0kW				5.4	5.4	6.3				10.20	17.00	18.40	6.19	6.19	7.22				11.76	19.60	20.50

Indoor Unit Combinations						Cooling									Heating									
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Room F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Room F	Min	Rated	Max
4 Units	2.6kW	2.6kW	2.6kW	2.6kW			2.6	2.6	2.6	2.6			6.24	10.40	11.23	2.9	2.9	2.9	2.9			6.86	11.44	12.58
	2.6kW	2.6kW	2.6kW	3.5kW			2.6	2.6	2.6	3.5			6.79	11.32	12.23	2.9	2.9	2.9	3.9			7.47	12.45	13.70
	2.6kW	2.6kW	2.6kW	5.0kW			2.6	2.6	2.6	5.0			7.87	12.82	14.17	2.9	2.9	2.9	5.8			8.66	14.43	15.88
	2.6kW	2.6kW	2.6kW	6.0kW			2.6	2.6	2.6	6.0			8.29	13.82	16.58	2.99	3.01	2.99	6.90			9.54	15.89	19.07
	2.6kW	2.6kW	2.6kW	7.0kW			2.6	2.6	2.6	7.0			8.95	14.82	16.11	2.9	2.9	2.9	7.8			9.85	16.41	18.05
	2.6kW	2.6kW	3.5kW	3.5kW			2.6	2.6	3.5	3.5			7.32	12.20	13.18	2.9	2.9	3.9	3.9			8.05	13.42	14.76
	2.6kW	2.6kW	3.5kW	5.0kW			2.6	2.6	3.5	5.0			8.40	13.70	15.12	2.9	2.9	3.9	5.8			9.24	15.40	16.94
	2.6kW	2.6kW	3.5kW	6.0kW			2.6	2.6	3.5	6.0			8.82	14.70	17.64	2.99	2.99	4.03	6.90			10.14	16.91	20.29
	2.6kW	2.6kW	3.5kW	7.0kW			2.6	2.6	3.5	7.0			9.48	15.70	17.06	2.9	2.9	3.9	7.8			10.43	17.38	19.12
	2.6kW	2.6kW	5.0kW	5.0kW			2.6	2.6	5.0	5.0			9.48	15.20	17.06	2.9	2.9	5.8	5.8			10.43	17.38	19.12
	2.6kW	2.6kW	5.0kW	6.0kW			2.6	2.6	5.0	6.0			9.72	16.20	18.40	2.99	2.99	5.75	6.90			11.18	18.63	20.50
	2.6kW	2.6kW	5.0kW	7.0kW			2.5	2.5	5.1	6.9			10.20	17.00	18.36	2.9	2.9	5.8	7.8			11.62	19.36	20.50
	2.6kW	2.6kW	6.0kW	6.0kW			2.6	2.6	5.9	5.9			10.20	17.00	18.40	2.96	2.96	6.84	6.84			11.76	19.60	20.50
	2.6kW	2.6kW	6.0kW	7.0kW			2.4	2.4	5.6	6.5			10.20	17.00	18.40	2.80	2.80	6.46	7.54			11.76	19.60	20.50
	2.6kW	3.5kW	3.5kW	3.5kW			2.6	3.5	3.5	3.5			7.86	13.10	14.15	2.9	3.9	3.9	3.9			8.65	14.41	15.85
	2.6kW	3.5kW	3.5kW	5.0kW			2.6	3.5	3.5	5.0			8.94	14.60	16.09	2.9	3.9	3.9	5.8			9.83	16.39	18.03
	2.6kW	3.5kW	3.5kW	6.0kW			2.6	3.5	3.5	6.0			9.36	15.60	18.40	2.99	4.03	4.03	6.90			10.76	17.94	20.50
	2.6kW	3.5kW	3.5kW	7.0kW			2.6	3.5	3.5	7.0			10.02	16.60	18.04	2.9	3.9	3.9	7.8			11.02	18.37	20.21
	2.6kW	3.5kW	5.0kW	5.0kW			2.6	3.5	5.0	5.0			10.02	16.10	18.04	2.9	3.9	5.8	5.8			11.02	18.37	20.21
	2.6kW	3.5kW	5.0kW	6.0kW			2.6	3.5	5.0	6.0			10.20	17.00	18.40	2.98	4.01	5.73	6.88			11.76	19.60	20.50
	2.6kW	3.5kW	5.0kW	7.0kW			2.4	3.2	4.9	6.5			10.20	17.00	18.36	2.8	3.7	5.6	7.5			11.76	19.60	20.50
	2.6kW	3.5kW	6.0kW	6.0kW			2.4	3.3	5.6	5.6			10.20	17.00	18.40	2.82	3.79	6.50	6.50			11.76	19.60	20.50
	2.6kW	3.5kW	6.0kW	7.0kW			2.3	3.1	5.3	6.2			10.20	17.00	18.40	2.67	3.59	6.16	7.18			11.76	19.60	20.50
	2.6kW	5.0kW	5.0kW	5.0kW			2.4	4.9	4.9	4.9			10.20	17.00	18.36	2.8	5.6	5.6	5.6			11.76	19.60	20.50
	2.6kW	5.0kW	5.0kW	6.0kW			2.4	4.6	4.6	5.5			10.20	17.00	18.40	2.74	5.27	5.27	6.32			11.76	19.60	20.50
	2.6kW	5.0kW	6.0kW	6.0kW			2.3	4.3	5.2	5.2			10.20	17.00	18.40	2.60	5.00	6.00	6.00			11.76	19.60	20.50
	2.6kW	6.0kW	6.0kW	6.0kW			2.1	5.0	5.0	5.0			10.20	17.00	18.40	2.47	5.71	5.71	5.71			11.76	19.60	20.50
	3.5kW	3.5kW	3.5kW	3.5kW			3.5	3.5	3.5	3.5			8.40	14.00	15.12	3.9	3.9	3.9	3.9			9.24	15.40	16.94
	3.5kW	3.5kW	3.5kW	5.0kW			3.5	3.5	3.5	5.0			9.48	15.50	17.06	3.9	3.9	3.9	5.8			10.43	17.38	19.12
	3.5kW	3.5kW	3.5kW	6.0kW			3.5	3.5	3.5	6.0			9.90	16.50	18.40	4.03	4.03	4.03	6.90			11.39	18.98	20.50
	3.5kW	3.5kW	3.5kW	7.0kW			3.4	3.4	3.4	6.9			10.20	17.00	18.36	3.9	3.9	3.9	7.8			11.62	19.36	20.50
	3.5kW	3.5kW	5.0kW	5.0kW			3.4	3.4	5.1	5.1			10.20	17.00	18.36	3.9	3.9	5.8	5.8			11.62	19.36	20.50
	3.5kW	3.5kW	5.0kW	6.0kW			3.3	3.3	4.7	5.7			10.20	17.00	18.40	3.81	3.81	5.44	6.53			11.76	19.60	20.50
	3.5kW	3.5kW	5.0kW	7.0kW			3.1	3.1	4.6	6.2			10.20	17.00	18.36	3.5	3.5	5.4	7.2			11.76	19.60	20.50
	3.5kW	3.5kW	6.0kW	6.0kW			3.1	3.1	5.4	5.4			10.20	17.00	18.40	3.61	3.61	6.19	6.19			11.76	19.60	20.50
	3.5kW	3.5kW	6.0kW	7.0kW			3.0	3.0	5.1	6.0			10.20	17.00	18.40	3.43	3.43	5.88	6.86			11.76	19.60	20.50
	3.5kW	5.0kW	5.0kW	5.0kW			3.1	4.6	4.6	4.6			10.20	17.00	18.36	3.5	5.4	5.4	5.4			11.76	19.60	20.50
	3.5kW	5.0kW	5.0kW	6.0kW			3.1	4.4	4.4	5.2			10.20	17.00	18.40	3.52	5.03	5.03	6.03			11.76	19.60	20.50
	3.5kW	5.0kW	5.0kW	7.0kW			2.8	4.3	4.3	5.7			10.20	17.00	18.36	3.2	4.9	4.9	6.6			11.76	19.60	20.50
	3.5kW	5.0kW	6.0kW	6.0kW			2.9	4.1	5.0	5.0			10.20	17.00	18.40	3.35	4.78	5.74	5.74			11.76	19.60	20.50
3.5kW	5.0kW	6.0kW	7.0kW			2.8	4.0	4.7	5.5			10.20	17.00	18.40	3.19	4.56	5.47	6.38			11.76	19.60	20.50	
3.5kW	6.0kW	6.0kW	6.0kW			2.8	4.7	4.7	4.7			10.20	17.00	18.40	3.19	5.47	5.47	5.47			11.76	19.60	20.50	
3.5kW	6.0kW	6.0kW	7.0kW			2.6	4.5	4.5	5.3			10.20	17.00	18.40	3.05	5.23	5.23	6.10			11.76	19.60	20.50	

	Indoor Unit Combinations						Cooling									Heating								
	Unit ID						Capacity of each Indoor Unit (kW)						System Capacity (kW)			Capacity of each Indoor Unit (kW)						System Capacity (kW)		
Operation	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Room A	Room B	Room C	Room D	Room E	Room F	Min	Rated	Max	Room A	Room B	Room C	Room D	Room E	Room F	Min	Rated	Max
5 Units	2.6kW	2.6kW	2.6kW	2.6kW	2.6kW		2.6	2.6	2.6	2.6	2.6		7.80	13.00	14.30	2.9	2.9	2.9	2.9	2.9		8.58	14.30	15.73
	2.6kW	2.6kW	2.6kW	2.6kW	3.5kW		2.6	2.6	2.6	2.6	3.5		8.34	13.90	15.29	2.9	2.9	2.9	2.9	3.9		9.17	15.29	16.82
	2.6kW	2.6kW	2.6kW	2.6kW	5.0kW		2.6	2.6	2.6	2.6	5.0		9.42	15.40	17.27	2.9	2.9	2.9	2.9	5.8		10.36	17.27	19.00
	2.6kW	2.6kW	2.6kW	2.6kW	6.0kW		2.6	2.6	2.6	2.6	6.0		9.84	16.40	18.40	2.99	2.99	2.99	2.99	6.90		11.32	18.86	20.50
	2.6kW	2.6kW	2.6kW	2.6kW	7.0kW		2.5	2.5	2.5	2.5	6.9		10.20	17.00	18.40	2.9	2.9	2.9	2.9	7.8		11.55	19.25	20.50
	2.6kW	2.6kW	2.6kW	3.5kW	3.5kW		2.6	2.6	2.6	3.5	3.5		8.88	14.80	16.28	2.9	2.9	2.9	3.9	3.9		9.77	16.28	17.91
	2.6kW	2.6kW	2.6kW	3.5kW	5.0kW		2.6	2.6	2.6	3.5	5.0		9.96	16.30	18.26	2.9	2.9	2.9	3.9	5.8		10.96	18.26	20.09
	2.6kW	2.6kW	2.6kW	3.5kW	6.0kW		2.6	2.6	2.6	3.4	5.9		10.20	17.00	18.40	2.95	2.95	2.95	3.97	6.80		11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	3.5kW	7.0kW		2.4	2.4	2.4	3.2	6.6		10.20	17.00	18.40	2.8	2.8	2.8	3.7	7.6		11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	5.0kW	5.0kW		2.4	2.4	2.4	4.9	4.9		10.20	17.00	18.40	2.8	2.8	2.8	5.6	5.6		11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	5.0kW	6.0kW		2.4	2.4	2.4	4.5	5.4		10.20	17.00	18.40	2.71	2.71	2.71	5.21	6.26		11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	5.0kW	7.0kW		2.2	2.2	2.2	4.5	6.0		10.20	17.00	18.40	2.5	2.5	2.5	5.1	6.9		11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	6.0kW	6.0kW		2.2	2.2	2.2	5.2	5.2		10.20	17.00	18.40	2.57	2.57	2.57	5.94	5.94		11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	6.0kW	7.0kW		2.1	2.1	2.1	4.9	5.7		10.20	17.00	18.40	2.45	2.45	2.45	5.65	6.60		11.76	19.60	20.50
	2.6kW	2.6kW	3.5kW	3.5kW	3.5kW		2.6	2.6	3.5	3.5	3.5		9.42	15.70	17.27	2.9	2.9	3.9	3.9	3.9		10.36	17.27	19.00
	2.6kW	2.6kW	3.5kW	3.5kW	5.0kW		2.5	2.5	3.4	3.4	5.1		10.20	17.00	18.40	2.9	2.9	3.9	3.9	5.8		11.55	19.25	20.50
	2.6kW	2.6kW	3.5kW	3.5kW	6.0kW		2.4	2.4	3.3	3.3	5.6		10.20	17.00	18.40	2.80	2.80	3.77	3.77	6.46		11.76	19.60	20.50
	2.6kW	2.6kW	3.5kW	3.5kW	7.0kW		2.3	2.3	3.1	3.1	6.3		10.20	17.00	18.40	2.6	2.6	3.6	3.6	7.2		11.76	19.60	20.50
	2.6kW	2.6kW	3.5kW	5.0kW	5.0kW		2.3	2.3	3.1	4.7	4.7		10.20	17.00	18.40	2.6	2.6	3.6	5.4	5.4		11.76	19.60	20.50
	2.6kW	2.6kW	3.5kW	5.0kW	6.0kW		2.2	2.2	3.0	4.3	5.2		10.20	17.00	18.40	2.59	2.59	3.48	4.97	5.97		11.76	19.60	20.50
	2.6kW	2.6kW	3.5kW	5.0kW	7.0kW		2.1	2.1	2.8	4.3	5.7		10.20	17.00	18.40	2.4	2.4	3.3	4.9	6.6		11.76	19.60	20.50
	2.6kW	2.6kW	3.5kW	6.0kW	6.0kW		2.1	2.1	2.9	4.9	4.9		10.20	17.00	18.40	2.46	2.46	3.31	5.68	5.68		11.76	19.60	20.50
	2.6kW	2.6kW	3.5kW	6.0kW	7.0kW		2.0	2.0	2.7	4.7	5.5		10.20	17.00	18.40	2.35	2.35	3.16	5.42	6.32		11.76	19.60	20.50
	2.6kW	2.6kW	5.0kW	5.0kW	5.0kW		2.1	2.1	4.3	4.3	4.3		10.20	17.00	18.40	2.4	2.4	4.9	4.9	4.9		11.76	19.60	20.50
	2.6kW	2.6kW	5.0kW	5.0kW	6.0kW		2.1	2.1	4.0	4.0	4.8		10.20	17.00	18.40	2.40	2.40	4.62	4.62	5.55		11.76	19.60	20.50
	2.6kW	2.6kW	5.0kW	6.0kW	6.0kW		2.0	2.0	3.8	4.6	4.6		10.20	17.00	18.40	2.30	2.30	4.41	5.30	5.30		11.76	19.60	20.50
	2.6kW	2.6kW	6.0kW	6.0kW	6.0kW		1.9	1.9	4.4	4.4	4.4		10.20	17.00	18.40	2.20	2.20	5.07	5.07	5.07		11.76	19.60	20.50
	2.6kW	3.5kW	3.5kW	3.5kW	3.5kW		2.6	3.5	3.5	3.5	3.5		9.96	16.60	18.40	2.99	4.03	4.03	4.03	4.03		11.45	19.09	20.50
	2.6kW	3.5kW	3.5kW	3.5kW	5.0kW		2.4	3.2	3.2	3.2	4.9		10.20	17.00	18.40	2.8	3.7	3.7	3.7	5.6		11.76	19.60	20.50
	2.6kW	3.5kW	3.5kW	3.5kW	6.0kW		2.3	3.1	3.1	3.1	5.3		10.20	17.00	18.40	2.67	3.59	3.59	3.59	6.16		11.76	19.60	20.50
	2.6kW	3.5kW	3.5kW	3.5kW	7.0kW		2.2	2.9	2.9	2.9	6.0		10.20	17.00	18.40	2.5	3.4	3.4	3.4	6.9		11.76	19.60	20.50
	2.6kW	3.5kW	3.5kW	5.0kW	5.0kW		2.2	2.9	2.9	4.5	4.5		10.20	17.00	18.40	2.5	3.4	3.4	5.1	5.1		11.76	19.60	20.50
	2.6kW	3.5kW	3.5kW	6.0kW	6.0kW		2.0	2.8	2.8	4.7	4.7		10.20	17.00	18.40	2.36	3.18	3.18	5.44	5.44		11.76	19.60	20.50
	3.5kW	3.5kW	3.5kW	3.5kW	3.5kW		3.4	3.4	3.4	3.4	3.4		10.20	17.00	18.40	3.9	3.9	3.9	3.9	3.9		11.55	19.25	20.50
	3.5kW	3.5kW	3.5kW	3.5kW	5.0kW		3.1	3.1	3.1	3.1	4.7		10.20	17.00	18.40	3.6	3.6	3.6	3.6	5.4		11.76	19.60	20.50
	3.5kW	3.5kW	3.5kW	3.5kW	6.0kW		3.0	3.0	3.0	3.0	5.1		10.20	17.00	18.40	3.43	3.43	3.43	3.43	5.88		11.76	19.60	20.50
	3.5kW	3.5kW	3.5kW	3.5kW	7.0kW		2.8	2.8	2.8	2.8	5.7		10.20	17.00	18.40	3.3	3.3	3.3	3.3	6.6		11.76	19.60	20.50
	3.5kW	3.5kW	3.5kW	5.0kW	5.0kW		2.8	2.8	2.8	4.3	4.3		10.20	17.00	18.40	3.3	3.3	3.3	4.9	4.9		11.76	19.60	20.50
	3.5kW	3.5kW	3.5kW	5.0kW	6.0kW		2.8	2.8	2.8	4.0	4.7		10.20	17.00	18.40	3.19	3.19	3.19	4.56	5.47		11.76	19.60	20.50
	3.5kW	3.5kW	3.5kW	6.0kW	6.0kW		2.6	2.6	2.6	4.5	4.5		10.20	17.00	18.40	3.05	3.05	3.05	5.23	5.23		11.76	19.60	20.50
6 Units	2.6kW	2.6kW	2.6kW	2.6kW	2.6kW	2.6kW	2.6	2.6	2.6	2.6	2.6	2.6	9.36	15.60	17.16	2.9	2.9	2.9	2.9	2.9	2.9	10.30	17.16	18.88
	2.6kW	2.6kW	2.6kW	2.6kW	2.6kW	3.5kW	2.6	2.6	2.6	2.6	2.6	3.5	9.90	16.50	18.15	2.9	2.9	2.9	2.9	2.9	3.9	10.89	18.15	19.97
	2.6kW	2.6kW	2.6kW	2.6kW	2.6kW	5.0kW	2.4	2.4	2.4	2.4	2.4	4.9	10.20	17.00	18.40	2.8	2.8	2.8	2.8	2.8	5.7	11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	2.6kW	2.6kW	6.0kW	2.3	2.3	2.3	2.3	2.3	5.4	10.20	17.00	18.40	2.68	2.68	2.68	2.68	2.68	7.06	11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	2.6kW	2.6kW	7.0kW	2.2	2.2	2.2	2.2	2.2	6.0	10.20	17.00	18.40	2.5	2.5	2.5	2.5	2.5	6.9	11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	2.6kW	3.5kW	3.5kW	2.5	2.5	2.5	2.5	3.4	3.4	10.20	17.00	18.40	2.9	2.9	2.9	2.9	3.9	3.9	11.48	19.14	20.50
	2.6kW	2.6kW	2.6kW	2.6kW	3.5kW	5.0kW	2.3	2.3	2.3	2.3	3.1	4.7	10.20	17.00	18.40	2.7	2.7	2.7	2.7	3.6	5.4	11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	2.6kW	3.5kW	6.0kW	2.2	2.2	2.2	2.2	3.0	5.1	10.20	17.00	18.40	2.56	2.56	2.56	2.56	3.45	7.06	11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	2.6kW	3.5kW	7.0kW	2.1	2.1	2.1	2.1	2.8	5.7	10.20	17.00	18.40	2.4	2.4	2.4	2.4	3.3	6.6	11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	2.6kW	5.0kW	5.0kW	2.1	2.1	2.1	2.1	4.3	4.3	10.20	17.00	18.40	2.4	2.4	2.4	2.4	4.9	4.9	11.76	19.60	20.50
	2.6kW	2.6kW	2.6kW	2.6kW	5.0kW	6.0kW	2.1	2.1	2.1	2.1	4.0	4.8	10.20	17.00	18.40	2.38	2.38	2.38	2.38	4.58	7.			

